

Page: 1/9
Date Revised: Jan. 5, 2017
Date Issued: Jul. 16, 1999
SDS No. P-00102 (US\_EN)

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier : FO-29ND

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/ Mixture : Reprographic agents (Black Toner)

#### 1.3 Details of the supplier of the safety data sheet

Company / USA : SHARP Electronics Corporation

Address : 100 Paragon Drive, Montvale, New Jersey 07645-1779

Telephone number : +1-800-237-4277

Company / Canada : SHARP Electronics of Canada Ltd.

Address : 335 Britannia Road East, Mississauga, Ontario L4Z 1W9

Telephone number : +1-905-890-2100

### 1.4 Emergency telephone number

Telephone number : +1-800-255-3924 (USA, Canada only)

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification (Hazard Communication Standard)

Not Classified as hazardous

#### 2.2 Label elements

### Labelling (accordance with paragraph (f) of §1910.1200)

Hazard symbol : None
Signal word : None
Hazard statements : None
Precautionary statements : None

### 2.3 Other hazards

Potential dust explosion hazard.



Page: 2/9
Date Revised: Jan. 5, 2017
Date Issued: Jul. 16, 1999
SDS No. P-00102 (US\_EN)

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Components

Chemical Name	CAS-No.	Classification	IARC	Concentration
		(REGULATION		(%)
		(EC) No1272/2008)		
Styrene-Acrylate copolymer	Confidential	Not Classified	None	90-99
Carbon Black	1333-86-4	Not Classified	2B	1-5
Iron oxide	1317-61-9	Not Classified	None	0-2
Amorphous silica	7631-86-9	Not Classified	None	0-2
ammonium bis(1-(3,5-dinitro-2-	109125-51-1	Self-react. C; H242	None	0.1-1
oxidophenylazo)-3-(Nphenylcarba		Aquatic Acute 1;H400		
moyl)-2-naphtholato)chromate(1-)		Aquatic Chronic 2;H411		

#### **SECTION 4: First aid measures**

4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment

when the potential for exposure exists.

If inhaled : If inhaled, remove to fresh air.

If not breathing, give artificial respiration.

If breathing is difficult, give oxygen. Get medical attention.

In case of skin contact : Remove contaminated clothing and shoes.

Get medical attention if irritation develops and persists.

Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : If in eyes, rinse well with water.

Get medical attention if irritation develops and persists.

If swallowed, get medical attention.

Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Dust contact with the eyes can lead to mechanical irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

# **SHARP**

### SAFETY DATA SHEET

Page: 3/9
Date Revised: Jan. 5, 2017
Date Issued: Jul. 16, 1999
SDS No. P-00102 (US\_EN)

# **SECTION 5: Firefighting measures**

5.1 Extinguishing media

Suitable extinguishing media : Water spray

Alcohol-resistant foam

Dry chemical

Carbon dioxide (CO2)

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Do not use a solid water stream as it may scatter and spread fire.

Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides

Chromium compounds Nitrogen oxides (NOx)

5.3 Advice for firefighters

Special protective equipment for firefighters: In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do so.

Evacuate area.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Follow safe handling advice and personal protective

equipment recommendations.

6.2 Environmental precautions

Environmental precautions : Discharge into the environment must be avoided.

Prevent further leakage or spillage if it is safe to do so.

Retain and dispose of contaminated water.

Local authorities should be advised if significant spillages

cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Sweep up or vacuum up spillage and collect in suitable

container for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).



Page: 4/9 Date Revised: Jan. 5, 2017 Date Issued : Jul. 16, 1999 SDS No. P-00102 (US EN)

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Advice on safe handling : Do not breathe dust. Do not swallow. Avoid contact with eyes.

Handle in accordance with good industrial hygiene and safety practice.

Keep container tightly closed.

Minimize dust generation and accumulation. Keep away from heat and sources of ignition.

Take care to prevent spills, waste and minimize release to the

environment.

When using do not eat, drink or smoke. Hygiene measures

Wash contaminated clothing before re-use.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage : Keep tightly closed. Keep in a cool, well-ventilated place.

areas and containers Be stored in accordance with the particular national regulations.

Advice on common storage : Do not be stored together with the following product types:

Strong oxidizing agents

Organic peroxides

**Explosives** Gases

7.3 Specific end use(s)

Specific use(s) : No data available



Page: 5/9
Date Revised: Jan. 5, 2017
Date Issued: Jul. 16, 1999
SDS No. P-00102 (US\_EN)

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

# **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of	Control parameters	Basis
		exposure)		
Amorphous silica	7631-86-9	TWA	80 mg/m3/ (%SiO2)	OSHA PEL
		TWA	3 mg/m3	ACGIH TLV
Carbon black	1333-86-4	TWA	3.5 mg/m3	OSHA PEL
		TWA(Inhalable)	3 mg/m3	ACGIH TLV

#### 8.2 Exposure controls

### **Engineering measures**

Minimize workplace exposure concentrations.

Apply measures to prevent dust explosions.

#### Personal protective equipment

Eye protection : Not required under intended use
Hand protection : Not required under intended use
Skin and body protection : Not required under intended use
Respiratory protection : Not required under intended use

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Appearance : powder

Color : Black

Odor : odorless

Odor Threshold : No data available
pH : No data available
Melting point/freezing point : Not applicable
Initial boiling point and boiling range : No data available
Flash point : Not applicable
Evaporation rate : Not applicable

Flammability (solid, gas) : Not classified as a flammability hazard

Upper explosion limit : No data available
Lower explosion limit : No data available
Vapor pressure : Not applicable
Relative Vapor density : Not applicable
Density : ca. 1.1 g/cm3
Solubility(ies) Water solubility : negligible



Page: 6/9
Date Revised: Jan. 5, 2017
Date Issued: Jul. 16, 1999
SDS No. P-00102 (US\_EN)

Partition coefficient: n-octanol/water

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : Not applicable Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

: Not applicable

9.2 Other information

No data available

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Not classified as a reactivity hazard.

# 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : Dust can form an explosive mixture in the air.

Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Information on likely routes of exposure : Inhalation

Skin contact Ingestion Eye contact

**Acute Toxicity** 

Ingestion(oral) :  $LD_{50} > 2000 mg/kg$  (Rats)

Inhalation : No Data

Eye irritation : Not an irritant

Skin irritation : Not an irritant

Skin sensitizer : No sensitization

Mutagenicity: Negative (Ames Test)



Page: 7/9 Date Revised: Jan. 5, 2017 Date Issued : Jul. 16, 1999 SDS No. P-00102 (US EN)

Carcinogenicity: In 1996 the IARC reevaluated carbon black as a Group 2B carcinogen (possible human carcinogen). This classification is given to chemicals for which there is inadequate human evidence, but sufficient animal evidence on which to base an opinion of carcinogenicity. The classification is based upon the development of lung tumors in rats receiving chronic inhalation exposures to free carbon black at levels that induce particle overload of the lung. Studies performed in animal models other than rats did not show any association between carbon black and lung tumors. Moreover, a two-year cancer bioassay using a typical toner preparation containing carbon black demonstrated no association between toner exposure and tumor development in rats.

Chronic Effect : In a study in rats of chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of the rats in the high concentration (16mg/m³) exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animals in the middle (4mg/m<sup>3</sup>) exposure group, but no pulmonary change was reported in the lowest (1mg/m<sup>3</sup>) exposure group, the most relevant level to potential human exposures.

### **SECTION 12: Ecological information**

#### 12.1 Ecotoxicity

Toxicity to fish : LC50: > 100 mg/l

Exposure time: 96 h

Toxicity to daphnia and other aquatic : EC50: > 100 mg/l

invertebrates Exposure time: 48 h

Toxicity to algae EC50: > 100 mg/l

Exposure time: 72 h

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Other adverse effects

No data available

### **SECTION 13: Disposal considerations**

# 13.1 Waste treatment methods

Product Dispose of it in accordance with local regulations.

Contaminated packaging Dispose of it as an unused product.

Empty containers should be taken to an approved waste

handling site for recycling or disposal.



Page: 8/9
Date Revised: Jan. 5, 2017
Date Issued: Jul. 16, 1999
SDS No. P-00102 (US\_EN)

**SECTION 14: Transport information** 

14.1 UN number: None14.2 UN proper shipping name: None14.3 Transport hazard class(es): None14.4 Packing group: None14.5 Environmental hazards: None

**14.6 Special precautions for user** : Not applicable

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Remarks : Not applicable for product as supplied.

#### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 649/2012 of the European Parliament : Not applicable

and the Council concerning the export and import of

dangerous chemicals

REACH - Candidate List of Substances of Very High : Not applicable

Concern for Authorisation (Article 59).

Regulation (EC) No 1005/2009 on substances that deplete : Not applicable

the ozone layer

Regulation (EC) No 850/2004 on persistent organic pollutants : Not applicable

TSCA (Toxic Substances Control Act):

All chemical substances in this product comply with all applicable rules or order under TSCA.

WHMIS Legislation (Canada):

This product is not a controlled product.

#### **SECTION 16: Other information**

#### **Full text of H-Statements**

H242 : Heating may cause a fire.H400 : Very toxic to aquatic life.

H411 : Toxic to aquatic life with long lasting effects.

#### Full text of other abbreviations

Aquatic Acute : Acute aquatic toxicity
Aquatic Chronic : Chronic aquatic toxicity

Self-react. : Self-reactive substances and mixtures

ACGIH : American Conference of Governmental Industrial Hygienists

IARC : International Agency for Research on Cancer
OSHA : Occupational Safety and Health Administration

PEL : Permissible Exposure Limit



Page: 9/9
Date Revised: Jan. 5, 2017
Date Issued: Jul. 16, 1999

SDS No. P-00102 (US\_EN)

TLV : Threshold Limit Value
TWA : Time Weighted Average

### **Further information**

Sources of key data used to compile the Safety Data Sheet:

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency,http://echa.europa.eu/

IARC (1996): IARC monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol.65, Printing Process and Printing Inks, Carbon Black and Some Nitro Compounds, Lyon, pp.149-261 H.Muhle, B.Bellman, O.Creutzenberg, C.Dasenbrock, H.Emst, R.Kilpper, J.C.MacKenzie, P.Morrow, U.Mohr, S.Takenaka and R.Mermelstein(1991) Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats. Fundamental and Applied Toxicology 17, pp.280-299.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

Date Issued: Jul. 16, 1999 Date Revised: Jan. 5, 2017