

SAFETY DATA SHEET

Revision Date : 28.March 2025
Date of first issue :25. September 2015
SDS Number : F-02598

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : MX-60GT-YA / MX-60GT-YB

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Reprographic agents (Toner)

1.3 Details of the supplier of the safety data sheet

Company EU : SHARP Manufacturing France S.A.

Route de Bollwiller, 68360 Soultz Haut Rhin, France

UK : Sharp Business Systems UK PLC

Northern House, Moor Knoll Lane, East Ardsley, Wakefield, WF3 2EE, United Kingdom

Telephone : +49 40 2376-0

E-mail address of person : compliance@sharp.eu
responsible for the SDS

1.4 Emergency telephone number

+49 40 2376-2525 (from 9:00 to 17:00 CET/CEST, English, German Only)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not Classified as hazardous

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms : None

Signal word : None

Hazard statements : None

Precautionary statements : None

2.3 Other hazards

Potential dust explosion hazard.

SAFETY DATA SHEET

Revision Date : 28.March 2025
 Date of first issue :25. September 2015
 SDS Number : F-02598

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical Name	CAS-No.	EC-No.	Classification (REGULATION (EC) No1272/2008)	Concentration (%)
Polyester resin	Confidential	Confidential	Not classified	80-90
Ceramic material and wares, chemicals	66402-68-4	266-340-9	Not classified	5-10
Organic pigment	Confidential	Confidential	Not classified	1-5
Wax	Confidential	Confidential	Not classified	1-5
silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica; pyrogenic, synthetic amorphous, nano, surface treated silicon dioxide	68909-20-6	272-697-1	STOT RE 2; H373	1-5
Silicon dioxide	7631-86-9	231-545-4	Not classified	< 1
Titanium dioxide	13463-67-7	236-675-5	Carc. 2; H351	< 1

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
 When symptoms persist or in all cases of doubt seek medical advice.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists.
- If inhaled : If inhaled, remove to fresh air.
 If not breathing, give artificial respiration.
 If breathing is difficult, give oxygen.
 Get medical attention.
- In case of skin contact : Get medical attention if irritation develops and persists.
 Wash clothing before reuse.
- In case of eye contact : If in eyes, rinse well with water.
 Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, get medical attention.
 Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

- Risks : Dust contact with the eyes can lead to mechanical irritation.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Dry chemical
Carbon dioxide (CO₂)

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Do not use a solid water stream as it may scatter and spread fire.
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides
Nitrogen oxides (NO_x)

5.3 Advice for firefighters

Special protective equipment for firefighters: In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local
circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Follow safe handling advice and personal protective
equipment recommendations.

6.2 Environmental precautions

Environmental precautions : Discharge into the environment must be avoided.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages
cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Sweep up or vacuum up spillage and collect in suitable
container for disposal.
Avoid dispersal of dust in the air (i.e., clearing dust surfaces
with compressed air).
Dust deposits should not be allowed to accumulate on

SAFETY DATA SHEET

Revision Date : 28.March 2025
Date of first issue :25. September 2015
SDS Number : F-02598

surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases.

You will need to determine which regulations are applicable.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
- Advice on safe handling : Do not breathe dust. Do not swallow. Avoid contact with eyes.
Handle in accordance with good industrial hygiene and safety practice. Keep container tightly closed.
Minimize dust generation and accumulation.
Keep away from heat and sources of ignition.
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.

7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage : Keep tightly closed. Keep in a cool, well-ventilated place.
areas and containers : Store in accordance with the particular national regulations.
- Advice on common storage : Do not store with the following product types:
Strong oxidizing agents
Organic peroxides
Explosives
Gases

7.3 Specific end use(s)

- Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Silicon dioxide	7631-86-9	TWA (inhalable dust)	6 mg/m ³ (Silica)	GB EH40
		TWA (Respirable dust)	2.4 mg/m ³ (Silica)	GB EH40
Titanium dioxide	13463-67-7	TWA (inhalable dust)	10 mg/m ³	GB EH40
		TWA (Respirable dust)	4 mg/m ³	GB EH40

8.2 Exposure controls**Engineering measures**

Minimize workplace exposure concentrations.

Apply measures to prevent dust explosions.

Personal protective equipment

Eye protection : Not required under intended use

Hand protection : Not required under intended use

Skin and body protection : Not required under intended use

Respiratory protection : Not required under intended use

Thermal hazards : Not required under intended use

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

Physical state	: Powder
Colour	: Yellow
Odour	: Odourless
Odour Threshold	: No data available
pH	: No data available
Melting point/freezing point	: 100 - 130 °C
Initial boiling point and boiling range	: No data available
Flash point	: Not applicable
Evaporation rate	: Not applicable
Flammability (solid, gas)	: Not classified as a flammability hazard
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: Not applicable
Relative vapour density	: Not applicable
Particle characteristics	: 5~10 μ m
Density	: ca. 1,2 g/cm ³
Bulk density	: ca. 0,4 g/cm ³

Solubility(ies)

Water solubility	:	Negligible
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

9.2 Other informationNo data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Dust can form an explosive mixture in air. Can react with strong oxidizing agents.
---------------------	---	---

10.4 Conditions to avoid

Conditions to avoid	:	None known.
---------------------	---	-------------

10.5 Incompatible materials

Materials to avoid	:	Oxidizing agents
--------------------	---	------------------

10.6 Hazardous decomposition productsNo hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion Eye contact
--	---	--

Acute toxicity

Acute oral toxicity	:	LD50 : > 2000 mg/kg
Acute inhalation toxicity	:	LC50 : > 5,0 mg/l

Skin corrosion/irritation

No skin irritation

Serious eye damage/eye irritation

No eye irritation

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

AMES : negative

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration hazard

Not relevant

11.2 Information on other hazards

No data available

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish	: LC50: > 100 mg/l
	Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50: > 100 mg/l
	Exposure time: 48 h
Toxicity to algae	: EC50: > 100 mg/l
	Exposure time: 72 h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Not relevant

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

- Product : Dispose of in accordance with local regulations.
According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.
Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.
- Contaminated packaging : Dispose of as unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

- 14.1 UN number or ID number : None
- 14.2 UN proper shipping name : None
- 14.3 Transport hazard class(es) : None
- 14.4 Packing group : None
- 14.5 Environmental hazards : None
- 14.6 Special precautions for user : Not applicable
- 14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable
- REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : Not applicable
- Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable
- Annex XVII to Regulation (EC) No 1907/2006 : 78 Synthetic polymer microparticles
- Regulation (EC) No 850/2004 on persistent organic pollutants : Not applicable

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Full text of H-Statements

- H351 : Suspected of causing cancer

SAFETY DATA SHEET

Revision Date : 28.March 2025
Date of first issue :25. September 2015
SDS Number : F-02598

H373 : May cause damage to organs

Full text of other abbreviations

GB EH40 : UK. EH40 WEL - Workplace Exposure Limits

GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency,<http://echa.europa.eu/>

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.